

Discrete and Computational Geometry, SS 18
Exercise Sheet “5”: WSPD Application
University of Bonn, Department of Computer Science I

- *Written solutions have to be prepared until **Thursday 7th of June**.*
- *You may work in groups of at most two participants.*
- *You can hand over your work to our tutor Raoul Nicolodi in the beginning of the lecture.*

Exercise 13: MST from WSPD? (4 Points)

Prove or disprove the following statement:

For a WSPD of a point set S for $s > 4$ in dimension d consider any pair $\{A_i, B_i\}$ and build the shortest edge $\overline{a_i b_i}$ with $a_i \in A_i, b_i \in B_i$. The given collection of edges will result in the Minimum-Spanning-Tree of the point set S , i.e., the edge-length minimal tree that connects all points in S .

Exercise 14: Packing argumentation (4 Points)

Consider two reals l and L such that $0 < l \leq L \leq 1$.

How many disjoint axis-parallel boxes $[a_1, b_1] \times [a_2, b_2] \times \dots \times [a_d, b_d]$, with $\min_i |b_i - a_i| \geq l$ and $\max_i |b_i - a_i| \leq L$ can intersect with the hypercube $[0, 1]^d$?

Give a prove for a non-trivial (reasonable small) upper bound depending on l, L und d !

Exercise 15: Nearest neighbors by WSPD (4 Points)

Construct the WSPD for $s = 3$ and the set $S = \{0, 4, 5, 7, 12, 13, 14, 16\}$ in \mathbb{R}^1 by making use of a single split tree.

Compute the 3 nearest neighbors for any point by the strategy presented in the lecture.